

## VENUE INFORMATION

### ILLAWARRA PERFORMING ARTS CENTRE | BRUCE GORDON THEATRE TECHNICAL SPECIFICATIONS



ABOVE: Bruce Gordon stage door location

## VENUE INFORMATION

- IPAC is located in central Wollongong and hosts two performance spaces and one studio/rehearsal space.

## BRUCE GORDON THEATRE CAPACITY

- The Bruce Gordon Theatre has 206 seats plus 28 standing room only positions.

Stalls	142 seats
Circle	40 seats
Side View Boxes	4 seats (some may be restricted view)
Standing Galleries	28 standing room positions

## STAGE SPECIFICATIONS

### Stage Dimensions

Width	Wall to Wall (including wings)	15.00 m
	Wing to wing	10.60 m
Depth	Stage edge to back wall	8.00 m
	Stage edge to rear of wrap curtain	7.00 m

### Floor Surface

Hardboard nailed to tallow wood full width, no rake, no level change

### Overhead Area

Catwalks/Grid	6.15 metres
---------------	-------------

## STAGE ACCESS

### Scenery

Direct from scene dock, acoustic sliding door

Width	2.40 metres
Height	2.60 metres
Diagonal	3.60 metres

### Personnel

2 single doors from rear corridor PS and OP back wall.

## STAGE EQUIPMENT & DRAPERY

- 3 x Hand line sets, 4 pick-up lines, no counter weighting.
- Black wrap around curtain – full wrap around with entry and exit points.
- 6.15m drop (Grid to floor)

## LIGHTING FACILITIES

### Lighting Control

ETC ION

### Dimming

72 Channels of LSC TEKO Dimming Systems

### Stage Lanterns and Accessories

Standard Rig			
10 x	Selecon Pacific 14/35	1 kW	Profile spot
11 x	Selecon Acclaim 18/34	600w	Profile spot
4 x	Selecon Pacific 23/50	1 kW	Profile spot
20 x	Strand Harmon	1 kW	Fresnels
4 x	Selecon Cyc 500	500w	Cyclorama floods
4 x	Desisti Leonardo	2 kW	Fresnel
8 x	110v par 64's MFL/NSP		
Additional equipment available on request (subject to availability)			
20 x	Strand Harmony 15/28	1kW	Profi spot
20 x	Strand Prelude 28/40	650 w	Profi spot
20 x	Strand Prelude 16/30	650 w	Profi spot
2 x	Parnels	600 w	MFL/NSP Lenses
10 x	Strand Prelude	650 w	Fresnel
1 x	Unique II Hazer*		
1 x	Jem ZR12 Smoke Machine*		
1 x	60cm Dia. Mirrorball*		

\* Denotes additional cost

- Stock of Boom arms, Iris inserts, Gobo holders, wide variety of colour medium.
- LCD/DLP Data Projectors, DVD Players and additional AV equipment available upon request.\*

\*At additional cost to hirer

## LIGHTING FACILITIES CONT.

### Dimmer Patch Panel

245 sub circuits are distributed throughout the theatre and are fully patchable via a master patch panel in the dimmer room situated on level 3 between both theatres.

Patch Outlets are all 10 Amp. Outlets are situated in the following positions:

**CONTROL ROOM:** 4 patch outlets

**REAR OF HOUSE:** 3 patch outlets Prompt Side (Lower Level) 3 patch outlets OP side (Lower Level)  
10 patch outlets (Upstairs Level)

**LIGHTING BRIDGES** 25 patch outlets per bridge (Bridges 1 through 7)

**CAT WALKS** 10 patch outlets Prompt Side Catwalk  
10 patch outlets Opposite Prompt Catwalk

**STAGE** 5 patch outlets Prompt Side Upstage (Rear Wall)  
5 patch outlets Opposite Prompt Upstage (Rear Wall)  
5 patch outlets Prompt Side Downstage (PS Wall)  
5 patch outlets Opposite Prompt Downstage (OP Wall)

## AUDIO FACILITIES

<b>FOH System</b>	6 x Bose 402 2 x flown either side main left right 2 x Bose 502 (sub) 1 x Allen & Heath IDR8 handling all FOH processing 1 x Klark technic DN360 31 Band Graphic EQ across FOH
<b>mixer</b>	Allen & Heath iLive System consisting of: 1 x iLive T112 control console 1 x iDR-16 i/o rack mounted in control booth 1 x iDR-48 i/o rack in road case for deployment on stage
<b>microphone outlets</b>	8 on PS side wall 8 on OP side wall 3 on LX bridge 3 (overhead)
<b>Play Back equipment</b>	1 x Denon 630 CD Player (will not play CD-RW or MP3 CD) 2 x Denon CD Player – DNC635 (Mounted in rack)
<b>Microphones</b>	Available upon request please contact the Technical Coordinator for further details.

## STAGE MANAGEMENT EQUIPMENT

### **BOH Paging**

Back of house paging system to all dressing rooms, green room, technical office and loading dock. Priority over-ride of dressing room volume control and show relay for stage management page. Paging microphone located Prompt Corner.

### **CCTV**

Colour CCTV Feed to Prompt Corner (camera located in front of Bio Box off overhead gantry)

### **Communications**

Clearcom/ Ezicom Belt Pack Units with Beyer/ Clearcom Headsets

Patch outlets located:

Prompt Corner

OP Side of Stage

Bio Box

Grid Level

Rear of House on upper level (at seat N14)

Dimmer Room

Green Room

4 x Wireless Communications sets available on request (At additional cost)

## DRESSING ROOMS

- 2 dressing rooms, adjacent to stage, Bruce Gordon Theatre, 6 artists each.
- All dressing rooms have wash basin, toilet & shower facilities

## STOCK ROSTRA (AT ADDITIONAL COST TO HIRER)

- 1.0 metres x 2.0 metres, with height adjustable in 300 mm increments to 900mm.

## ORCHESTRA EQUIPMENT (AT ADDITIONAL COST TO HIRER)

- 1 x Conductor's stand, adjustable
- 10 x Orchestra Stands
- 30 x Orchestra chairs